To: Wagner, Christine[Wagner.Christine@epa.gov]

From: Nonresponsive based on revised scope @tetratech.com]

Sent: 'vvea 8/18/2021 7:29:11 PW((010))

Subject: RE: CT9205/ SHILOH CHURCH ROAD REMOVAL/ R3 Lab DAS Case Number R35978

North HW Pic_01.PNG North HW Pile_Pic2.PNG

Thank you so much, Please find the attached two picture which shows the location of pile at the North.

Thank you, Sayed

From: Wagner, Christine < Wagner. Christine@epa.gov>

Sent: Tuesday, August 17, 2021 10:55 AM

To: Nonresponsive based on revised scope @tetratech.com>

Subject: Fwd: CT9205/ SHILOH CHURCH ROAD REMOVAL/ R3 Lab DAS Case Number R35978

⚠ CAUTION: This email originated from an external sender. Verify the source before opening links or attachments. ⚠

Begin forwarded message:

From: Nonresponsive based on revised scope @epa.gov>

Date: August 5, 2021 at 11:04:16 AM EDT

To: "Wagner, Christine" < Wagner. Christine@epa.gov>

Cc: Nonresponsive based on revised scope @tetratech.com>, Nonresponsive based on revised scope @tetratech.com>, "O'Neal,

Nathaniel" < ONeal.Nathaniel@epa.gov>, Nonresponsive based on revised scope @epa.gov>, Nonresponsive based on revised scope

@epa.gov>, "Graybill, Eric" <graybill.eric@epa.gov>, "Fortune, Warren" <Fortune.Warren@epa.gov>, R3

ESC-CLIENTS < R3 ESCCLIENTS@epa.gov>

Subject: CT9205/ SHILOH CHURCH ROAD REMOVAL/ R3 Lab DAS Case Number R35978

CLIENT'S LABORATORY ASSIGNMENT NOTIFICATION

Please send the *Eight Soil PCB Aroclor* samples from SHILOH CHURCH ROAD REMOVAL, DAS Case Number R35978, to the Region 3 Laboratory located here at the Environmental Science Center (address provided below):

USEPA Region III Environmental Science Center 701 Mapes Road Fort Meade, Maryland 20755-5350

PLEASE NOTE THE REGIONAL LABORATORY DOES NOT ACCEPT SAMPLE DELIVERIES ON FRIDAYS, SATURDAYS OR SUNDAYS.

When notifying the Regional Laboratory of sample shipments, each day samples are shipped, please provide the following information:

- DAS Case Number R35978
- Number of Samples
- FedEx Tracking Number/s

Regional Laboratory sample shipment notification must also be provided by sending an email to the following individuals:

Nonresponsive based on revised scope @epa.gov 410-305-2743

Eric Graybill graybill.eric@epa.gov 410-305-2665

Nonresponsive based on revised scope

If you have any questions, please do not hesitate to contact me.

Nonresponsive based on revised scope